




# NTN BEARING CORP.OF AMERICA

## INA PASE40-N-FA125 bearing units



PASE40-N-FA125 Bearing 2D drawings and 3D CAD models

Bearing No. PASE40-N-FA125

Bore Diameter	40 mm
d	40 mm
S1	32,8 mm
Thread (Q)	Rp1/8
d3	58 mm
A	48 mm
A1	30 mm
B1	43,8 mm
H	49,2 mm
H1	19 mm
H2	99 mm
J	138 mm
L	179 mm
N	14 mm
N1	26 mm
Weight	1,84 Kg
Basic dynamic load rating (C)	32,5 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	2.048
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block



## NTN BEARING CORP.OF AMERICA

Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GRAE40NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row   Spherical   Corrosion Resistant   Standard Shaft Height   With Set Screw
Long Description	2 Bolt Pillow Block; 40MM Bore; 49.2MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 125MM Minimum Bolt Spacing; 147MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Lip Contac
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	PASE40N-FA125
Weight / LBS	4.631
Length Thru Bore	1.72 Inch   43.7 Millimeter
Base to Center Height	1.937 Inch   49.2 Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter
Bolt Spacing Maximum	5.787 Inch   147Millimeter
Bolt Spacing Minimum	4.921 Inch   125Millimeter
Nominal Bolt Center to	5.4 Inch   136 Millimeter



# NTN BEARING CORP.OF AMERICA

Center	
Bore	1.575 Inch   40 Millimeter